PARAGON Laboratories

# CHAIN-OF-CUSTODY RECORD

12649 Richfield Ct. Livonia, MI 48150 **P** 734.462.3900 **F** 734.462.3911 **W** www.paragonlaboratories.com



Client Name:

Contact Person:

Mailing Address:

City, State, Zip:

Phone and Fax:

Email:

Client Job Name / No.:

Job Location:

WSSN #: | PIN #:

Sampled By: | PO No.:

Remarks:

INTERNAL USE ONLY

**ANALYSIS REQUESTED**

Regulatory Requirements

- RCRA ☐
- NPDES ☐
- Drinking Water ☐
- Other: _____

Turnaround Requirements

- 1 Day (RUSH) ☐
- 2 Day (RUSH) ☐
- 3 Day (RUSH) ☐
- 5 Day (STANDARD) ☐
- Other: _____

Matrix Key

DW = Drinking Water WW = Wastewater
W = Water D = Diesel BD = Biodiesel
G = Gasoline E8 = E85 O = Oil
SL = Sludge S = Soil X = Other

| Item No. | Date Taken | Time Taken | Grab | Comp | Client Sample ID | Matrix | No. of containers | PARAGON SAMPLE NO. |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Tran. # | Released By | Received By | Date | Time |
|---|---|---|---|---|
| 1. | | | | |
| 2. | | | | |

| Tran. # | Released By | Received By | Date | Time |
|---|---|---|---|---|
| 3. | | | | |
| 4. | | | | |

FORM-N0013A, Revision 4e, Effective Date 06/20/2017. Copyright ©1996-2018 by Paragon Laboratories, Inc. All rights reserved.